


Technical Description

HARMONY® Evolution System



Description

The HARMONY® Evolution system is designed to offer a complete range of extramedullary solutions with straight and lateralised stems both available in cementless and cemented variants. All stems are intended for primary total hip arthroplasty.

References

HARMONY® Evolution Standard

Cementless straight femoral stem
Titanium alloy (Ti6Al4V-ISO 5832-3). Coating : Hydroxyapatite
12/14 5°40' taper. CCD shaft angle 129°

| Sizes | Ref. | Length |
|-------|------------|--------|
| 8* | 3031 0801* | 115 mm |
| 9 | 3031 0901 | 130 mm |
| 10 | 3031 1001 | 140 mm |
| 11 | 3031 1101 | 145 mm |
| 12 | 3031 1201 | 150 mm |
| 13 | 3031 1301 | 155 mm |
| 14 | 3031 1401 | 160 mm |
| 15 | 3031 1501 | 165 mm |
| 16 | 3031 1601 | 170 mm |
| 18 | 3031 1801 | 180 mm |
| 20 | 3031 2001 | 190 mm |

*Maximum weight limit 70 kg

HARMONY® Evolution Standard Cemented

Cemented straight femoral stem
Stainless steel (M30NW-ISO 5832-9), smooth polished
12/14 5°40' taper. CCD shaft angle 129°

| Sizes | Ref. | Length |
|-------|-----------|--------|
| 8 | 3034 0801 | 115 mm |
| 9 | 3034 0901 | 130 mm |
| 10 | 3034 1001 | 140 mm |
| 11 | 3034 1101 | 145 mm |
| 12 | 3034 1201 | 150 mm |
| 13 | 3034 1301 | 155 mm |
| 14 | 3034 1401 | 160 mm |
| 15 | 3034 1501 | 165 mm |
| 16 | 3034 1601 | 170 mm |



References

HARMONY® Evolution Offset

Cementless straight femoral stem with offset and varus
Titanium alloy (Ti6Al4V-ISO 5832-3). Coating : Hydroxyapatite
12/14 5°40' taper. CCD shaft angle 125°

| Sizes | Ref. | Length |
|-------|-----------|--------|
| 9 | 3032 0900 | 130 mm |
| 10 | 3032 1000 | 140 mm |
| 11 | 3032 1100 | 145 mm |
| 12 | 3032 1200 | 150 mm |
| 13 | 3032 1300 | 155 mm |
| 14 | 3032 1400 | 160 mm |
| 15 | 3032 1500 | 165 mm |
| 16 | 3032 1600 | 170 mm |
| 18 | 3032 1800 | 180 mm |



HARMONY® Evolution Offset Cemented

Cemented straight femoral stem with offset and varus
Stainless steel (M30NW-ISO 5832-9), smooth polished
12/14 5°40' taper. CCD shaft angle 125°

| Sizes | Ref. | Length |
|-------|-----------|--------|
| 8 | 3035 0800 | 115 mm |
| 9 | 3035 0900 | 130 mm |
| 10 | 3035 1000 | 140 mm |
| 11 | 3035 1100 | 145 mm |
| 12 | 3035 1200 | 150 mm |
| 13 | 3035 1300 | 155 mm |
| 14 | 3035 1400 | 160 mm |
| 15 | 3035 1500 | 165 mm |
| 16 | 3035 1600 | 170 mm |

